

Safety Air Guns

An INTELLIGENT

OMPRESSED AIR

Safety Air Guns use engineered air nozzles for high performance!

Why EXAIR Safety Air Guns?

Inexpensive air guns are sold through many catalogs and industrial supply companies. Most have triggers or other parts that break quickly. Their performance is similar to open pipe, where they simply blow a lot of compressed air. In addition to the high air consumption, many produce noise levels that violate OSHA requirements. Some even generate dangerous dead end pressures that can result in serious or fatal injuries if blocked.



((

EXAIR's Safety Air Guns eliminate these problems. They are durable and comfortable to use. Each model uses an engineered Air Nozzle that provides superior performance by entraining large volumes of surrounding air. Safe operation is assured along with low air consumption and noise levels. Airflow that exits the nozzle can not be blocked, as required by OSHA standard 1910.242(b).

Selecting The Right Safety Air Gun

The pages that follow show four Safety Air Guns. The VariBlast^{*}, Soft Grip, Heavy Duty and Super Blast Safety Air Guns are available with a variety of air nozzles (listed in order of force). Stainless steel air nozzles provide more mechanical wear resistance while withstanding corrosion and high temperatures. PEEK Air Nozzles provide protection from accidental impact with the target and outstanding corrosion resistance. Air consumption, force and sound level are shown for all models. Complete details for each Air Nozzle are shown on pages 50-67.



VariBlast[•] Compact Safety Air Gun is a uniquely powerful gun which produces variable force depending on trigger valve pressure. You decide how much force is needed for the application by squeezing the trigger a little or all the way for maximum force! This cast aluminum gun is equipped with any of our 1/8 NPT engineered air nozzles. The VariBlast Compact Safety Air Gun is small, comfortable and powerful while remaining light and ergonomic. Has two inlets for flexible air supply. Extension Pipes for hard to reach areas are also available.



Soft Grip Safety Air Gun has a durable cast aluminum body that is suited for rugged industrial use. The ergonomic design has a large trigger for easy operation and a convenient hanger hook for easy storage. Chip Shields for worker safety are available. Extension Pipes and Stay Set Hoses for hard to reach areas are also available.



Heavy Duty Safety Air Gun is a powerful air gun with a durable cast aluminum body that is best suited for heavy use in rugged industrial environments. The ergonomic composite rubber grip and wide curved trigger can be used for hours without fatigue. Chip Shields for worker safety are available. Extension Pipes for hard to reach areas are also available.



Super Blast Safety Air Guns provide the strongest blowing force - ideal for long distance, wide area blowoff, cooling, and drying applications. The comfortable foam rubber handle provides a firm grip. The spring-loaded valve instantly shuts off the air supply if the air gun is dropped. Extension Pipes for hard to reach areas are also available.



Safety Air Guns

Chip Shields

Protect workers from flying debris and prevent splash back!

Why the EXAIR Chip Shield?

Chip Shields are durable polycarbonate shields that protect operators from flying debris often associated with blowing chips off machined parts. Chip Shields are also great for keeping coolant from spreading everywhere during drying operations. EXAIR's Chip Shields help meet the requirements of OSHA 1910.242(b) for safe use of compressed air.

Chip Shields are available for EXAIR's VariBlast Compact Safety Air Gun, Soft Grip Safety Air Gun and Heavy Duty Safety Air Gun. Chip Shields can be used on Safety Air Guns with or without an Aluminum Extension. Chip Shields are not for use on guns that use a Stay Set Hose.

How to Order the EXAIR Chip Shield.

To order a Safety Air Gun with a Chip Shield, simply add a '-CS' to the end of the model number.

Examples:

Model 1210-CS is a Model 1210 Soft Grip Safety Air Gun with a Chip Shield.

Model 1310-12-CS is a Model 1310 Heavy Duty Safety Air Gun with a 12" (305mm) Aluminum Extension Pipe and Chip Shield.

Chip Shields for Safety Air Guns With Aluminium Extensions

Chip Shields are also available to be retrofitted to existing Safety Air Guns. For models that already have an Aluminum Extension in place, the Chip Shield is supplied with a rubber grommet to ensure a tight fit onto the extension.

Chip Shield #	Safety Air Gun Models Covered
901221	1229, 122955, 1HP1229 HP122955, 128055, 1290, 129055, 129655, 1296-PEEK, 129755, 1297-PEEK, 129855, 1298-PEEK, 129755, 1297-PEEK, 159855, 1598-PEEK, 159955, 159855, 1598-PEEK, 159955, 159855, 1598555, 1598555, 1598-PEEK, 1599555, 1598555, 15985555, 159855555, 159855555, 159855555555555555555555555555555555555
901222	1210, 1210SS, 1210-PEEK, 1230, 1230SS, HP1230, HP1230SS, 1310, 1310SS, 1310-PEEK, 1330, 1330SS, HP1330, HP1330SS
901223	1240, 1244, 1250, 1250SS, 1250-PEEK, 1260, 1260SS, 1340, 1350, 1350SS, 1350-PEEK, 1360, 1360SS

Chip Shields for Safety Air Guns Without Aluminium Extensions

For models that **do not** already have an Aluminum Extension in place, a short extension nipple and the necessary adapter is provided.

Chip Shield Kit #	Safety Air Gun Models Covered
901231	1229, 122955, 1HP1229, HP122955, 128055, 1290, 129055, 12965, 1296-PEEK, 129755, 1297-PEEK, 129855, 1298-PEEK, 1298, 1299-PEEK, 1298, 1299-PEEK, 159755, 1299-PEEK, 1599-ST, 1597-PEEK, 159955, 158055, 1590, 1690-ST, 1591-PI629, HP162955
901232	1210, 1210SS, 1210-PEEK, 1230, 1230SS, HP1230, HP1230SS, 1310, 1310SS, 1310-PEEK, 1330, 1330SS, HP1330, HP1330SS
901233	1240, 1250, 1250SS, 1250-PEEK, 1340, 1350, 1350SS, 1350-PEEK
901234	1260, 1260SS, 1360, 1360SS





Model 1696SS-CS shown



Model 1360SS-CS shown



Model 1299-6-CS shown









/AFiBLAST®Compact Safety Air Guns


The VariBlast Compact Safety Air Gun is

VAFIBLAST Compact Safety Air Gun - 1/4 NPT Inlet

EXAIR's VariBlast Compact Safety Air Guns are small and lightweight air guns capable of handling tough jobs. Designed with a variable flow trigger they are able to produce different force values from the same nozzle simply by pulling the trigger. These air guns can be outfitted with all of EXAIR's 1/8 NPT engineered air nozzles and extensions are available up to 72" long.

The wide variety of intelligent compressed air nozzles installed on the VariBlast Compact Safety Air Gun make it a great selection for light to medium duty applications requiring force values of up to 1 pound while remaining among the most efficient air guns in EXAIR's product line. EXAIR Super Air Nozzles are engineered to maximize entrainment of ambient air while minimizing air consumption and noise. Safe operation is assured since airflow that exits the nozzle cannot be blocked, OSHA standard 1910.242(b). The 58 to 82 dBA noise level is well below the limits of the OSHA maximum noise exposure standard 29 CFR 1910.95(a).

Engineered air nozzles are available in Type 316 stainless steel for superior corrosion resistance and mechanical wear, Type 303SS for corrosion resistance, PEEK thermoplastic for nonmarring and chemical resistance or a zinc/ aluminum alloy for general purpose applications. The air gun body is cast aluminum and has two 1/4 NPT air inlets to ensure ergonomic handling. All models are available with an impact resistant polycarbonate Chip Shield.



Dual 1/4 NPT Air inlets

Chip Shield

removes chips and



Model 1699-PEEK VariBlast Compact Safety Air Gun Nozzle: 1102-PEEK Plastic Mini Super Air Nozzle The Model 1699-PEEK uses the PEEK Super Air Nozzle for nonmarring and chemical resistance.

Model 1699 VariBlast Compact Safety Air Gun Nozzle: 1103 Mini Super Air Nozzle

A Consur		Fo	rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
10	283	9	255	71	Coned Hose

Force measured at 12 (305mm) from target. Sound level measured at 3' (914mm). All measurements taken at 80 PSIG (5.5 BAR).







For Technical Assistance, Call An EXAIR Application Engineer 1-800-903-9247 Toll Free FAX (866) 329-3924 • E-mail: techelp@exair.com • www.exair.com

Model 1699SS

resistance.

Mini Super Air Nozzle

VariBlast Compact Safety Air Gun

The Model 1699SS uses the

stainless steel Super Air Nozzle constructed of Type 316 stainless

steel for rugged use and corrosion

Nozzle: 1103SS Stainless Steel



VAFFBLAST*Compact Safety Air Guns

















Model 1696SS VariBlast Compact Safety Air Gun

Nozzle: 1108SS Stainless Steel Atto Super Air Nozzle Also Available: 1696-PEEK with 1108-PEEK

PEEK Plastic Atto Super Air Nozzle

Model 1697SS VariBlast Compact Safety Air Gun

Nozzle: 1109SS Stainless Steel Pico Super Air Nozzle Also Available: 1697-PEEK PEEK Plastic Pico Super Air Nozzle

Model 1698SS

VariBlast Compact Safety Air Gun Nozzle: 11105S Stainless Steel Nano Super Air Nozzle Also Available: 1698-PEEK with 1110-PEEK PEEK Plastic Nano Super Air Nozzle

Model 1629

VariBlast Compact Safety Air Gun Nozzle: 1126 1° Flat Super Air Nozzle Also Available: 162955 with 112655 Stainless Steel 1° Flat Super Air Nozzle 20.015° (0.38mm) shim installed

Model 1680SS VariBlast Compact Safety Air Gun Nozzle: 1010SS Micro Super Air Nozzle

Model 1690

VariBlast Compact Safety Air Gun Nozzle: 1009 Adjustable Air Nozzle Also Available: 169055 with 1009SS Stainless Steel Adjustable Air Nozzle

Model HP1629

VariBlast Compact Safety Air Gun Nozzle: HP1126 1" High Power Flat Super Air Nozzle Also Available: HP1629SS with HP1126SS


Stainless Steel 1" High Power Flat Super Air Nozzle

Model 1604SS-6-CS VariBlast Compact Back Blow Safety Air Gun, 6" extension

Nozzle: 1004SS Stainless Steel Back Blow Air Nozzle Also Available: Models 1604SS-12-CS (12" ext.), 1604SS-24-CS (24" ext.), 1604SS-36-CS (36" ext.), with 1004SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield

* Force measured at 12* (305mm) from target. Sound level measured at 3' (914mm). All measurements taken at 80 PSIG (5.5 BAR).

Air Cons	umption	Fo	rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
2.5	71	2.0	57	58	



Air Cons	umption	Fo	rce*	Sound Level	
SCFM	SLPM	Ozs	Grams	dBA	Use Model 900750 Coiled Hose
8.3	235	8.1	230	75	Coned Hose

Air Cons	ir Consumption		rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
10.5	297	9.8	278	75	

Air Cons	sumption Force*		Sound Level	Use Model	afêty 🗖 Guns	
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose	Air
13	368	12	340	80		

Air Cons	Consumption		rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
13	368	12	340	79	

Air Cons	Air Consumption		rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
17.5	495	16	454	82	

Air Cons	umption	Sound Level	Use With:	Use Model
SCFM	SLPM	dBA	Inside Diameter	900750 Coiled Hose
4.5	127	75	1/4"-1" (6.3-25.4mm)	

Add An Extension Pipe

Add an Extension Pipe to your VariBlast Compact Safety Air Gun. Here's how:

- 1. Choose an EXAIR VariBlast Compact Safety Air Gun. Example: Model 1699
- To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the appropriate extension length after the model of the VariBlast Compact Safety Air Gun.
 Example: The Model 1699 VariBlast Compact Safety Air Gun with a 12" (305mm) Aluminum Extension Pipe is a Model 1699-12.

t	All VariBlast Compact Safety Air Guns with Extension Pipes come fully assembled.							
	Model Addition #	Length						
	-6	6" (152mm)	I					
	-12	12" (305mm)	I					
	-18	18" (457mm)	1					
	-24	24" (610mm)	1					
	-36	36" (914mm)	1					
	-48	48" (1219mm)	1					
	-60	60" (1524mm)	1					
	-72	72" (1829mm)						

Aluminum Extension Pipe All VariBlast Compact Safety Air Guns by adding a "-CS" to the Model #.











Soft Grip Safety Air Guns

Soft Grip Safety Air Gun - 1/4 NPT Inlet

EXAIR's Soft Grip Safety Air Gun is ideal for hours of continuous use without fatigue. The ergonomic design keeps the hand in a comfortable position and incorporates a large trigger that permits operation with one or more fingers. The durable cast aluminum body is suited for rugged industrial use and includes a convenient hanger hook for easy storage. The Soft Grip Safety Air Gun is available with Air Nozzles as shown for quiet, safe and efficient use of the compressed air supply. Aluminum Extension Pipes, Stay Set Hoses, and Chip Shields are available for most models. The inlet is 1/4 NPT.

Chip Shield The Soft Grip Safety Air Gun is easily configurable with EXAIR Nozzles, Easy storage Extension Pipes, hanger Stay Set Hoses, and Chip Shields Model shown here: 1210-PEEK-CS Air flow is activated with comfortable trigger Model 1210-CS keeps a drilling process free . of machined spirals. Soft ergonomic grip for comfort 1/4 NPT Air inlet









Model 1210SS SG Safety Air Gun Nozzle: 1100SST Super Air Nozzle

The Model 1210SS uses the stainless steel Super Air Nozzle constructed of Type 316 stainless steel for rugged use and corrosion resistance.

Model 1210–PEEK SG Safety Air Gun Nozzle: 1100T–PEEK Super Air Nozzle

The Model 1210-PEEK uses the PEEK Super Air Nozzle for nonmarring and chemical resistance.

*Force measured at 12° (305mm) from target. Sound level measured at 3 ° (914mm). All measurements taken at 80 PSIG (5.5 BAR).

dBA

74

100 EXAIR Corporation

Nozzle: 1100T Super Air Nozzle

SCFM SLPM Ozs Grams

14 396 13 368

Model 1210 SG Safety Air Gun

> For Technical Assistance, Call An EXAIR Application Engineer 1-800-903-9247 Toll Free FAX (866) 329-3924 · E-mail: techelp@exair.com · www.exair.com



Soft Grip Safety Air Guns



Model 1299 SG Safety Air Gun

Nozzle: 1103 Mini Super Air Nozzle Also Available: 129955 with 110355 Stainless Steel Mini Super Air Nozzle 1299-PEEK with 1102-PEEK PEEK Plastic Mini Super Air Nozzle

Model 1229 SG Safety Air Gun Nozzle: 1126 1" Flat Super Air Nozzle Also Available: 122955 with 112655 Stainless Steel 1" Flat Super Air Nozzle uu .015" (0.38mm) shim installed

Air Cons	umption	Fo	rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled
10	283	9.0	255	71	Hose

Air Cons	umption	Fo	rce*	Sound Level	Use Model
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose
10.5	297	9.8	278	75	colled hose



Flat air pattern

Model 1290 SG Safety Air Gun Nozzle: 1009 Adjustable Air Nozzle Also Available: 129055 with 100955 Stainless Steel Adjustable Air Nozzle

Air Cons	umption	Fo	rce*	Sound Level	
SCFM	SLPM	Ozs	Grams	dBA	Use Model 900750 Coiled Hose
13	368	12	340	79	Coned Hose

Air Cor	sumption	Fo	rce*	Sound Level	Use Model	ty
SCFM	SLPM	Ozs	Grams	dBA	900750 Coiled Hose	Safe
13	368	12	340	80	coneuriose	



5	Model H
-	SG Safety
9	Nozzle: HP
ern 🕅	Also Avail Stainless St
	.025" (0,

lodel HP1229 G Safety Air Gun
ozzle: HP1126 1" High Power Flat Super Air Nozzle
Iso Available: HP1229SS with HP1126SS tainless Steel 1" High Power Flat Super Air Nozzle
0.025" (0.64mm) shim installed

Air G	ons	umption	Fo	rce*	Sound Level		
SCF	М	SLPM	Ozs	Grams	dBA	Use Model 900750 Coiled Hose	
17.	5	495	16	454	82	Coned Hose	-



Model 1230

Model 1280SS SG Safety Air Gun Nozzle: 1010SS Micro Air Nozzle

SG Safety Air Gun Nozzle: 1122 2" Flat Super Air Nozzle Also Available: 123055 with 112255 Stainless Steel 2" Flat Super Air Nozzle 015" (0.38mm) shim installed. الط

Air Cons	umption	Fo	rce*	Sound Level	
SCFM	SLPM	Ozs	Grams	dBA	Use Model 900750 Coiled Hose
22	622	22	624	77	





Soft Grip Safety Air Guns

Model 1250 SG Safety Air Gun Nozzle: 1104 3/8 NPT Super Air Nozzle Also Available: 1250SS with 1104SS 3/8 NPT Stainless Steel Super Air Nozzle 1250-PEEK with 1104-PEEK 3/8 NPT PEEK Plastic Super Air Nozzle

2" High Power Flat Super Air Nozzle

025" (0.64mm) shim installed

Model 1204SS-6-CS SG Back Blow Safety Air Gun

Model 1206SS-6-CS SG Back Blow Safety Air Gun

Also Available: HP1230SS with HP1125SS

Stainless Steel 2" High Power Flat Super Air Nozzle

Model HP1230 SG Safety Air Gun Nozzle: HP1125

* Force measured at 12" (305mm) from target.
Sound level measured at 3' (914mm).
All measurements taken at 80 PSIG (5.5 BAR).

SI PM

1.039

SI PM

Air Consumption

SCFM

37

SCFM

Air Cons	umption	For	Sound Level	
SCFM	SLPM	Lbs	Grams	dBA
35	991	1.9	850	82

Lbs

2.2

l bs

Force*

Force*

Grams

1,134

Grams

Sound Leve

dBA

83

Sound Level

dBA

Flat air pattern



Model 1240 SG Safety Air Gun Nozzle: 1111-4 Super Air Nozzle Cluster
Nozzle: 1111-4 Super Air Nozzle Cluster

Model 1260 SG Safety Air Gun Nozzle: 1106 1/2 NPT Super Air Nozzle Also Available: 1260SS with 1106SS 1/2 NPT Stainless Steel Super Air Nozzle

Nozzle: 1004SS Stainless Steel Back Blow Air Nozzle Aluminum Extension and Chip Shield

Nozzle: 1006SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield

56	1,585	3.2	1,451	82
Air Cons	umption	For	·ce*	Sound Level
SCFM	SLPM	Lbs	Grams	dBA
60	1.699	3.3	1.497	87

	Air Cons	umption	Sound Level	Use With:
	SCFM	SLPM	dBA	Inside Diameter
,	4.5	127	75	1/4" - 1" (6.3-25.4mm)

The Model 1206SS-6-CS Back Blow Safety Air Gun removes chips from the inside of a machined part.

Air Cons	umption	Sound Level	Use With:
SCFM	SLPM	dBA	Inside Diameter
22	622	80	7/8" - 4" (22–102mm)

Add An Extension Pipe Or Stay Set Hose

Add an Extension Pipe or Stay Set Hose to your Soft Grip Safety Air Gun. Here's how:

- 1. Choose an EXAIR Soft Grip Safety Air Gun. Example: Model 1210
- 2. To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the appropriate extension length after the model of the Soft Grip Safety Air Gun. (See table to right) Example: The Model 1210 Soft Grip Safety Air Gun with a 12" (305mm) Aluminum Extension Pipe is a Model 1210-12.
- 3. To add a Stay Set Hose, create the model number by adding a dash and number of the appropriate Stay Set Hose after the model of the Soft Grip Safety Air Gun. (See table to the far right) Example: The Model 1210 Safety Air Gun with a 12" (305mm) Stay Set Hose is a Model 1210-125SH

Aluminum Extension Pipe


All Soft Grip Safety Air Guns with Extension Pipes come fully assembled.

Model Addition #	Length
-6	6" (152mm)
-12	12" (305mm)
-18	18" (457mm)
-24	24" (610mm)
-36	36" (914mm)
-48	48" (1219mm)
-60	60" (1524mm)
-72	72" (1829mm)

Stav Set Hose All Soft Grip Safety Air Guns with Stay Set Hoses come fully assembled.

Model Addition #	Length			
-6SSH	6" (152mm)			
-12SSH	12" (305mm)			
-18SSH	18" (457mm)			
-24SSH	24" (610mm)			
-30SSH	30" (762mm)			
-36SSH	36" (914mm)			
Stay Cat Haca not available with 1240, 1250				

Stay Set Hose not available with 1240, 1250, 1260, 1204SS and 1206SS models.



For Technical Assistance, Call An EXAIR Application Engineer 1-800-903-9247 Toll Free FAX (866) 329-3924 • E-mail: techelp@exair.com • www.exair.com



102 EXAIR[®] Corporation

Soft Grip Super Air Scraper™

EXAIR's Soft Grip Super Air Scraper is a safety air gun designed to help remove the most stubborn debris found within industrial facilities. The patent pending design uses a scraping blade to assist the powerful compressed air flow removal of debris. This product is perfect for removal of caulk, gaskets, sealant, adhesives, tape, paint, stickers, labels, grease, lubricant and difficult to sweep metal chips, flakes or discs. It will help keep your machining tables, sub plate and assembly stations clean and functional.

The corrosion resistant steel scraper is attached to a 2" Flat Super Air Nozzle and a 3/4" extension provide the strength and durability necessary for many of your toughest cleaning and housekeeping challenges. Extensions for the Soft Grip Super Air Scraper are available from 6"-72" long to aid in cleaning table tops, inside machines, reaching the floor or other remote surfaces. Chip shields are also available. Nodel shown here: 1244-36 Soft, ergonomic grips for comfort durable 3/4" extension, 36" in length.

An INTELLIGENT

Product

EXAIR's patent pending design utilizes the 2" Super Air Scraper.

Air Cor	sumption	For	′ce*	Sound Level	
SCFM	SLPM	Ozs	Grams	dBA	Use M 90075 Coiled
22	622	22	624	77	coned

Model 1244 Soft Grip Super Air Scraper Nozzle: 1144 1/4 NPT 2" Super Air Scraper.

Soft Grip Super Air Scraper Accessories						
Model	Description					
1144	Super Air Scraper replacement nozzle (performance details on page 55)					
902007	Replacement scraper blade only					
901223	Chip Shield for 3/4" extension					
1132SS	2" Flat Super Air Nozzle Shim Set					



The Model 1244-36 scrapes and blows old tape off a concrete floor.

Add An Extension Pipe

Add an Extension Pipe to your Soft Grip Super Air Scraper. Here's how:

- 1. Choose an EXAIR Soft Grip Super Air Scraper. **Example:** Model 1244
- To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the appropriate extension length after the model of the Soft Grip Super Air Scraper.
 Example: The Model 1244 Soft Grip Super Air Scraper with a 36" (914mm) Aluminum Extension Pipe is a Model 1244-36.

Aluminum Extension Pipe All Soft Grip Super Air

Scrapers with Extension Pipes come fully assembled.

Model Addition	Length
-6	6" (152mm)
-12	12" (305mm)
-18	18" (457mm)
-24	24" (610mm)
-36	36" (914mm)
-48	48" (1219mm)
-60	60" (1524mm)
-72	72" (1829mm)

Air Guns by adding a "-CS" to the Model #. Model# 1244 -CS 1244-CS Example: 1244 (Soft Grip Super Air Scraper) + -CS (Chip Shield) 1244-CS

Chip Shields can be added to EXAIR's Safety







Heavy Duty Safety Air Guns

Heavy Duty Safety Air Gun - 3/8 NPT Inlet

Model 1310 Heavy Duty Safety Air Gun Nozzle: 1100T Super Air Nozzle

Force Consumption SCFM SLPM Ozs Grams dBA 14 396 13 368 74

EXAIR's Heavy Duty Safety Air Gun is a powerful air gun that delivers high force for use in rugged, industrial environments. The 3/8 NPT compressed air inlet increases the compressed air flow available to the Super Air Nozzle, resulting in higher force and flow than other air guns. The durable cast aluminum body includes an ergonomic composite rubber grip and wide curved trigger that makes it comfortable for hours of use without fatigue. Aluminum Extension Pipes and Chip Shields are available. (Stay Set Hoses are not available.)



Model 1310SS HD Safety Air Gun Nozzle: 1100SST Super Air Nozzle Type 316 Stainless Steel Super Air Nozzle for rugged use and corrosion resistance



Model 1310-PEEK HD Safety Air Gun Nozzle: 1100T-PEEK Super Air Nozzle PEEK Super Air Nozzle for nonmarring and chemical resistance.

14 390 13 30	00 74		r	esist	ance.			
		Air Cor	sumption	Fo	orce*	Sound	Level	
Flat air pattern	2	SCFM	SLPM	Ozs	Grams	dl	ВА	Use Model 900751
Model 1330 HD Safety	Vir Gun	22	622	22	624	7	7	Coiled Hose
Nozzle: 1122 2" Flat Super Air Nozzle	Also Avai 1330SS w 015" (0	ith 1122				it Supe	er Air Noz	zle
E	20	Air Cor	sumption	Fo	orce*	Sound	Level 🏑	
	-	SCFM	SLPM	lbs	Grams	dl	ва 🚺	Use Model 900751
Model 1350 HD Safety	Air Gun	35	991	1.9	850	8	2	Coiled Hose
Super Air Nozzle 1350-PEEK with 1104-PEEK 3/8 NPT PEEK Plastic Super Air Nozzle Air Consumption Force* Sound								
Flat air pattern	-	SCE		PM	L.	5	Grams	Level dBA
Model HP1330 HD Safe	ty Air Gun	37		039		.2	1,134	
Nozzle: HP1125 2" High Power Flat Super Air Nozzle	Also Avai	5 with H				" High	Power Fla	it Super Air Nozz
-		Air	Consumpti	on		Forc	o*	Sound Level
		SCFI		PM	lb		Grams	dBA
	1	56	1,5	85	3.	2	1,451	82
Model 1340 HD Safety A Nozzle: 1111-4 Super Air Nozzle Clu								
		Air	Consumpti	on		Force	e*	Sound Level
the second se	-	SCF	M SL	РМ	lb	s	Grams	dBA
		60	1,6	i99	3.3	3	1,497	87
Model 1360 HD Safety A Nozzle:	Air Gun Also Avai	lable:						

Noz 1106 1/2 NPT Super Air Nozzle

1360SS with 1106SS 1/2 NPT Stainless Steel Super Air Nozzle

h	Air Con	sumption	Sound Level	Use With:
	SCFM	SLPM	dBA	Inside Diameter
	22	622	80	7/8"-4" (22-102mm)

Model 1306SS-X-CS HD Back Blow Safety Air Gun

Nozzle:

1006SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension, and Chip Shield

Force measured at 12 (305mm) from target. Sound level measured at 3' (914mm). All measurements taken at 80 PSIG (5.5 BAR).

For Technical Assistance, Call An EXAIR Application Engineer 1-800-903-9247 Toll Free FAX (866) 329-3924 • E-mail: techelp@exair.com • www.exair.com

Add An Extension Pipe

Add an Extension Pipe to your Heavy Duty Safety Air Gun. Here's how:

- 1. Choose an EXAIR Heavy Duty Safety Air Gun. Example: Model 1310
- 2. To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the appropriate extension length after the model of the Heavy Duty Safety Air Gun. (See table below)

Example: The Model 1310 Heavy Duty Safety Air Gun with a 12" (305mm) Aluminum Extension Pipe is a Model 1310-12.

Aluminum Extension Pipe

All Heavy Duty Safety Air Guns with Extension Pipes come fully assembled.

Model Addition # / Extension Length					
-6 6" (152mm)					
-12	12" (305mm)				
-18	18" (457mm)				
-24	24" (610mm)				
-36	36" (914mm)				
-48	48" (1219mm)				
-60	60" (1524mm)				
-72	72" (1829mm)				

Chip Shields can be added to EXAIR's Safety Air Guns by adding a "-CS" to the Model#.



@FY AIR



Back Blow Safety Air Guns - 1/4, 3/8 and 1 NPT Inlet

Back Blow Safety Air Guns are perfect for cleaning out the inside of pipe, tube, hose or channels. EXAIR's engineered back blow nozzle provides a powerful 360 degree airflow through an array of holes to remove coolant, chips or debris. Available in our VariBlast, Soft Grip, Heavy Duty or Super Blast version, each gun style can be outfitted with an up to 72" extension to reach far into your application and provide airflow. VariBlast, Soft Grip and Heavy Duty Back Blow Safety Air Guns are outfitted with a Chip Shield to protect the operator from flying debris. Since airflow is directed back toward the operator, personal protection equipment is recommended.

Model 1604SS-X-CS

VariBlast Compact Back Blow Safety Air Gun

Nozzle: 1004SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield



Nozzle:

1004SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield



Nozzle:

1006SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield



Model 1306SS-X-CS Heavy Duty Back

Blow Safety Air Gun

Nozzle: 1006SS Stainless Steel Back Blow Air Nozzle, Aluminum Extension and Chip Shield



Super Blast Back Blow Safety Air Gun

Nozzle:

1008SS Stainless Steel Back Blow Air Nozzle and Aluminum Extension



The VariBlast Compact Back Blow Safety Air Gun has dual 1/4 NPT inlets and provides a variable force

has dual 1/4 NP 1 inlets and provides a variable force trigger on a small, powerful and ergonomic air gun.

rum		Consumption		Level	With:
rce	Model	SCFM	SLPM	dBA	Inside Diameter
n.	1604SS	4.5	127	75	1/4"-1" (6.3-25.4mm)

Air

Model SCFM SLPM dBA

120455 4.5

	Model	Description	Model	Description
1	1604SS-6-CS	VariBlast, 6" Extension, Chip Shield	1604SS-24-CS	VariBlast, 24" Extension, Chip Shield
	1604SS-12-CS	VariBlast, 12" Extension, Chip Shield	1604SS-36-CS	VariBlast, 36" Extension, Chip Shield

The **Soft Grip Back Blow Safety Air Gun** provides an ergonomic design with a 1/4 NPT

inlet and a full grip trigger which is ideal for hours of continuous operation without fatigue.

	1 0		
Model	Description	Model	Description
1204SS-6-CS	Soft Grip, 6" Extension, Chip Shield	1204SS-24-CS	Soft Grip, 24" Extension, Chip Shield
1204SS-12-CS	Soft Grip, 12" Extension, Chip Shield	1204SS-36-CS	Soft Grip, 36" Extension, Chip Shield

The Soft Grip Back Blow Safety Air Gun

provides an ergonomic design with a 1/4 NPT inlet and a full grip trigger which is ideal for hours of continuous operation without fatigue.

	Air Consumption		Sound Level	Use With:
Model	SCFM	SLPM	dBA	Inside Diameter
120655	22	622	80	7/8"-4" (22-102mm)

75

Model	Description	Model	Description
1206SS-6-CS	Soft Grip, 6" Extension, Chip Shield	1206SS-36-CS	Soft Grip, 36" Extension, Chip Shield
1206SS-12-CS	Soft Grip, 12" Extension, Chip Shield	1206SS-48-CS	Soft Grip, 48" Extension, Chip Shield
1206SS-18-CS	Soft Grip, 18" Extension, Chip Shield	1206SS-60-CS	Soft Grip, 60" Extension, Chip Shield
1206SS-24-CS	Soft Grip, 24" Extension, Chip Shield	1206SS-72-CS	Soft Grip, 72" Extension, Chip Shield

The Heavy Duty Back Blow Safety Air Gun

has a larger rubber grip and a larger 3/8 NPT inlet upon a durable cast aluminum gun body and full grip trigger to ease fatigue.

		\ir mption	Sound Level	Use With:
Model	SCFM	SLPM	dBA	Inside Diameter
1306SS	22	622	80	7/8"-4" (22-102mm)

Model	Description	Model	Description
1306SS-6-CS	Heavy Duty, 6" Extension, Chip Shield	1306SS-36-CS	Heavy Duty, 36" Extension, Chip Shield
1306SS-12-CS	Heavy Duty, 12" Extension, Chip Shield	1306SS-48-CS	Heavy Duty, 48" Extension, Chip Shield
1306SS-18-CS	Heavy Duty, 18" Extension, Chip Shield	1306SS-60-CS	Heavy Duty, 60" Extension, Chip Shield
1306SS-24-CS	Heavy Duty, 24" Extension, Chip Shield	1306SS-72-CS	Heavy Duty, 72" Extension, Chip Shield

Super Blast Back Blow Safety Air Guns provide the strongest blowing force to remove debris from the largest pipe diameters and deepest channels. These guns are sold with a 1', 3' and 6' extension, a comfortable soft grip and a spring-loaded manual valve which will shut off automatically if it is dropped.

Model	Description			Air _	Sound	Use
1219SS	Super Blast, 1' (305mm) Extension			mption		With:
1219SS-3	Super Blast, 3' (1m) Extension	Model	SCFM	SLPM	dBA	Inside Diameter
1219SS-6	Super Blast, 6' (1.8m) Extension	121955	57	1,614	89	2"-16" (51-406mm)

11510 Goldcoast Drive • Cincinnati, OH 45249-1621 • Phone (513) 671-3322 FAX (513) 671-3363 • E-mail: techelp@exair.com • www.exair.com



Use With

Inside Diameter

1/4"-1"

(6.3-25.4mm



Super Blast Safety Air Guns

High Force Safety Air Guns

These hand-held versions of our Super Air Nozzle Clusters and large Super Air Nozzles provide the same strong blowing force with the added convenience of a comfortable soft grip and easy to operate spring-loaded manual valve that automatically shuts off if it is dropped. The Super Blast Safety Air Guns are ideal for long distance, wide area blowoff, cooling and drying applications. All Super Blast Safety Air Guns meet OSHA noise level and pressure requirements.




Super Blast Safety Air Gun™



Model 1213-4 3/8 NPT female Material: Nozzles - Zinc Aluminum alloy Body - Aluminum

Airflow Pattern: see Model 1111-4 on page 65.





Air Consumption		For	Sound Level				
SCFM	SLPM	lbs	dBA				
56 1,585 3.2 1.45							
* Fo	* Force measured at 12* (305mm) from target						

Sound level measured at 3' (914mm) All measurements taken at 80 PSIG (5.5 BAR)



Model 1213-7 1/2 NPT female Material: Nozzles - Zinc Aluminum alloy Body - Aluminum

Airflow Pattern: see Model 1111-7 on page 65.



Air Consumption		For	Sound Level		
SCFM	SLPM	lbs	Kg	dBA	
98	2,773	5.7 2.59		85	
* Force measured at 12" (305mm) from target					
		measured a			

All measurements taken at 80 PSIG (5.5 BAR)

Add a longer extension pipe to your Super Blast Safety Air Gun.

Create the model number by adding a dash and number of the extension pipe to the Super Blast Safety Air Gun.

Example:

The Model 1213-4 Super Blast Safety Air Gun with a 3' extension would be a Model 1213-4-3.

1	213-4	(Super Blast Safety Air Gun)
F	-3	(3' extension)

1213-4-3

1 NPT

Aluminum Extension Pipe				
All Super Blast Safety Air Guns with Extension Pipes come fully assembled.				
Model# Model Addition# / Extension Length				
1213-4	-3	36" (914mm)		
3/8 NPT	-6	72" (1829mm)		
1213-7	-3	36" (914mm)		
1/2 NPT	-6	72" (1829mm)		
1213-12	-3	36" (914mm)		

-6




Model 1213-12 1 NPT female Material: Nozzles - Zinc Aluminum alloy Body - Aluminum

Airflow Pattern: see Model 1111-12 on page 65.



72" (1829mm)



Air Const	Air Consumption		ce*	Sound Level		
SCFM	SLPM	lbs Kg		dBA		
168	4,754	9.8 4.45		89		
* Fo	* Force measured at 12" (305mm) from target Sound level measured at 3' (914mm)					

All measurements taken at 80 PSIG (5.5 BAR)




For Technical Assistance, Call An EXAIR Application Engineer 1-800-903-9247 Toll Free FAX (866) 329-3924 · E-mail: techelp@exair.com · www.exair.com

Super Blast Safety Air Gun™



Model 1214 3/4 NPT female Material: Nozzles - Zinc Aluminum alloy

Airflow Pattern: see Model 1112 on page 63. Model 1214SS with Stainless Steel Nozzle also available



Air Cons	umption	For	ce*	Sound Level
SCFM	SLPM	lbs	Kg	dBA
91 2,577 4.5 2.04				96
* Force measu	ired at 12" (30	05mm) from	target	


* Force measured at 12" (305mm) from target Sound level measured at 3' (914mm) All measurements taken at 80 PSIG (5.5 BAR)

OSHA 3 hour total exposure per day without hearing protection



Model 1215 1 NPT female Material: Nozzle - Zinc Aluminum alloy

Airflow Pattern: see Model 1114 on page 63. Model 1215SS with Stainless Steel Nozzle also available



Air Cons	Air Consumption		ce*	Sound Level
SCFM	SLPM	lbs	Kg	dBA
135	3,823	6.6 3.01		99

* Force measured at 12* (305mm) from target Sound level measured at 3' (914mm) All measurements taken at 80 PSIG (5.5 BAR)

OSHA 2 hour total exposure per day without hearing protection





The 3' extension on the Model 1215-3 Super Blast Safety Air Gun helps an operator provide maximum blow off force to remote, tight or difficult to access areas.



Model 1216 1-1/4 NPT female Material: Nozzle - Zinc Aluminum alloy Airflow Pattern: see Model 1116 on page 64.



Model 1217 1-1/4 NPT female Material: Nozzle - Zinc Aluminum alloy Airflow Pattern: see Model 1118 on page 64.



Model 1218 1-1/4 NPT female Material: Nozzle - Zinc Aluminum alloy Airflow Pattern: see Model 1120 on page 64. 14 1-15/1 A Arross Ruls Some Some Call S

15.12"

igs at	~
ound evel	Safety

Model	Air Consumption		Force*		Sound Level	
	SCFM	SLPM	lbs	Kg	dBA	
1216	188	5,324	9.4	4.25	102	
1217	300	8,495	15	6.80	106	
1218	460	13,026	23	10.43	109	
* Force measured at 12" (305mm) from target						

* Force measured at 12° (305mm) from target Sound level measured at 3' (914mm) All measurements taken at 80 PSIG (5.5 BAR) Model 1216 OSHA 1 hour total exposure per day without

hearing protection

Model 1217 and 1218 OSHA ½ hour total exposure per day without hearing protection

Add a longer extension pipe to your Super Blast Safety Air Gun.

Create the model number by adding a dash and number of the extension pipe to the Super Blast Safety Air Gun.

Example:

The Model 1214 Super Blast Safety Air Gun with a 3' extension would be a Model 1214-3.

1214 (Super Blast Safety Air Gun) -3 (3' extension)

1214-3

Aluminum Extension Pipe

All Super Blast Safety Air Guns with Extension Pipes come fully assembled.

Model#	Model Addition # / Extension Length				
1214	-3	36" (914mm)	-6	72" (1829mm)	
1214SS	-3	36" (914mm)	-6	72" (1829mm)	
1215	-3	36" (914mm)	-6	72" (1829mm)	
1215SS	-3	36" (914mm)	-6	72" (1829mm)	
1216	-3	36" (914mm)	-6	72" (1829mm)	
1217	-3	36" (914mm)	-6	72" (1829mm)	
1218	-3	36" (914mm)	-6	72" (1829mm)	

