

Soft Grip Safety Air Guns

Soft Grip Safety Air Gun - 1/4 NPT Inlet

EXAIR's Soft Grip Safety Air Gun is ideal for hours of continuous use without fatigue. The ergonomic design keeps the hand in a comfortable position and incorporates a large trigger that permits operation with one or more fingers. The durable cast aluminum body is suited for rugged industrial use and includes a convenient hanger hook for easy storage. The Soft Grip Safety Air Gun is available with Air Nozzles as shown for quiet, safe and efficient use of the compressed air supply. Aluminum Extension Pipes, Stay Set Hoses, and Chip Shields are available for most models. The inlet is 1/4 NPT.

The Soft Grip Safety Air Gun is easily configurable with EXAIR Nozzles, Extension Pipes, Stay Set Hoses, and Chip Shields

Model shown here:
1210-PEEK-CS

Air flow is activated with comfortable trigger

Model 1210-CS keeps a drilling process free of machined spirals.

Soft ergonomic grip for comfort

1/4 NPT Air Inlet



TOP PICK

**Model 1210
SG Safety Air Gun**
Nozzle: 1100T Super Air Nozzle

SCFM	SLPM	Ozs	Grams	dBA
14	396	13	368	74



Use Model 900750 Coiled Hose



**Model 1210SS
SG Safety Air Gun**
Nozzle: 1100SST Super Air Nozzle

The Model 1210SS uses the stainless steel Super Air Nozzle constructed of Type 316 stainless steel for rugged use and corrosion resistance.



**Model 1210-PEEK
SG Safety Air Gun**
Nozzle: 1100T-PEEK Super Air Nozzle

The Model 1210-PEEK uses the PEEK Super Air Nozzle for non-marring and chemical resistance.

Soft Grip Safety Air Guns



**Model 1299
SG Safety Air Gun**

Nozzle: 1103 Mini Super Air Nozzle
Also Available: 1299SS with 1103SS
 Stainless Steel Mini Super Air Nozzle
 1299-PEEK with 1102-PEEK
 PEEK Plastic Mini Super Air Nozzle

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
10	283	9.0	255	71



Flat air pattern

**Model 1229
SG Safety Air Gun**

Nozzle: 1126 1" Flat Super Air Nozzle
Also Available: 1229SS with 1126SS
 Stainless Steel 1" Flat Super Air Nozzle
 .015" (0.38mm) shim installed

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
10.5	297	9.8	278	75



**Model 1290
SG Safety Air Gun**

Nozzle: 1009 Adjustable Air Nozzle
Also Available: 1290SS with 1009SS
 Stainless Steel Adjustable Air Nozzle

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
13	368	12	340	79



**Model 1280SS
SG Safety Air Gun**

Nozzle: 1010SS Micro Air Nozzle

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
13	368	12	340	80



Flat air pattern

**Model HP1229
SG Safety Air Gun**

Nozzle: HP1126 1" High Power Flat Super Air Nozzle
Also Available: HP1229SS with HP1126SS
 Stainless Steel 1" High Power Flat Super Air Nozzle
 .025" (0.64mm) shim installed

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
17.5	495	16	454	82



Flat air pattern

**Model 1230
SG Safety Air Gun**

Nozzle: 1122 2" Flat Super Air Nozzle
Also Available: 1230SS with 1122SS
 Stainless Steel 2" Flat Super Air Nozzle
 .015" (0.38mm) shim installed

Air Consumption		Force*		Sound Level
SCFM	SLPM	Ozs	Grams	dBA
22	622	22	624	77



A Model 1210-12 blows coolant and metal chips off the mating surface of a CNC lathe turret.

Soft Grip Safety Air Guns

Model 1250

SG Safety Air Gun

Nozzle: 1104 3/8 NPT Super Air Nozzle

Also Available: 1250SS with 1104SS 3/8 NPT

Stainless Steel Super Air Nozzle

1250-PEEK with 1104-PEEK 3/8 NPT

PEEK Plastic Super Air Nozzle



* Force measured at 12" (305mm) from target.
Sound level measured at 3' (914mm).
All measurements taken at 80 PSIG (5.5 BAR).

Air Consumption		Force*		Sound Level
SCFM	SLPM	Lbs	Grams	dBA
35	991	1.9	850	82

Model HP1230

SG Safety Air Gun

Nozzle: HP1125

2" High Power Flat Super Air Nozzle

Also Available: HP1230SS with HP1125SS

Stainless Steel 2" High Power Flat Super Air Nozzle

⚙️ .025" (0.64mm) shim installed



Air Consumption		Force*		Sound Level
SCFM	SLPM	Lbs	Grams	dBA
37	1,039	2.2	1,134	83

Model 1240

SG Safety Air Gun

Nozzle: 1111-4 Super Air Nozzle Cluster



Air Consumption		Force*		Sound Level
SCFM	SLPM	Lbs	Grams	dBA
56	1,585	3.2	1,451	82

Model 1260

SG Safety Air Gun

Nozzle: 1106 1/2 NPT Super Air Nozzle

Also Available: 1260SS with 1106SS 1/2 NPT

Stainless Steel Super Air Nozzle



Air Consumption		Force*		Sound Level
SCFM	SLPM	Lbs	Grams	dBA
60	1,699	3.3	1,497	87

Model 120455-6-CS

SG Back Blow Safety Air Gun

Nozzle: 100455 Stainless Steel Back Blow Air Nozzle,

Aluminum Extension and Chin Shield



Air Consumption		Sound Level	Use With:
SCFM	SLPM	dBA	Inside Diameter
4.5	127	75	1/4" - 1" (6.3-25.4mm)

The Model 120655-6-CS Back Blow Safety Air Gun removes chips from the inside of a machined part.

Model 120655-6-CS

SG Back Blow Safety Air Gun

Nozzle: 100655 Stainless Steel Back Blow Air Nozzle,

Aluminum Extension and Chip Shield



Air Consumption		Sound Level	Use With:
SCFM	SLPM	dBA	Inside Diameter
22	622	80	7/8" - 4" (22-102mm)

Add An Extension Pipe Or Stay Set Hose

Add an Extension Pipe or Stay Set Hose to your Soft Grip Safety Air Gun.

Here's how:

1. Choose an EXAIR Soft Grip Safety Air Gun.

Example: Model 1210

2. To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the model number by adding a dash and number of the appropriate extension length after the model of the Soft Grip Safety Air Gun. (See table to the right)

Example: The Model 1210 Soft Grip Safety Air Gun with a 12" (305mm) Aluminum Extension Pipe is a Model 1210-12.

3. To add a Stay Set Hose, create the model number by adding a dash and number of the appropriate Stay Set Hose after the model of the Soft Grip Safety Air Gun. (See table to the far right)

Example: The Model 1210 Safety Air Gun with a 12" (305mm) Stay Set Hose is a Model 1210-12SSH.

Aluminum Extension Pipe

All Soft Grip Safety Air Guns with Aluminum Extension Pipes come fully assembled.

Model Addition #	Length
-6	6" (152mm)
-12	12" (305mm)
-18	18" (457mm)
-24	24" (610mm)
-36	36" (914mm)
-48	48" (1219mm)
-60	60" (1524mm)
-72	72" (1829mm)

Stay Set Hose

All Soft Grip Safety Air Guns with Stay Set Hoses come fully assembled.

Model Addition #	Length
-6SSH	6" (152mm)
-12SSH	12" (305mm)
-18SSH	18" (457mm)
-24SSH	24" (610mm)
-30SSH	30" (762mm)
-36SSH	36" (914mm)

Stay Set Hose not available with 1240, 1250, 1260, 120455 and 120655 models.

Chip Shields can be added to EXAIR's Safety Air Guns by adding a "-CS" to the Model #.



+

=


Example:

Model# 1210
-
CS
=
1210-CS
+
1210-CS
=
1210 (Soft Grip Safety Air Gun)
-
CS (Chip Shield)

Soft Grip Super Air Scraper



Soft Grip Super Air Scraper™

EXAIR's Soft Grip Super Air Scraper is a safety air gun designed to help remove the most stubborn debris found within industrial facilities. The patent pending design uses a scraping blade to assist the powerful compressed air flow removal of debris. This product is perfect for removal of caulk, gaskets, sealant, adhesives, tape, paint, stickers, labels, grease, lubricant and difficult to sweep metal chips, flakes or discs. It will help keep your machining tables, sub plate and assembly stations clean and functional.

The corrosion resistant steel scraper is attached to a 2" Flat Super Air Nozzle and a 3/4" extension provide the strength and durability necessary for many of your toughest cleaning and house-keeping challenges. Extensions for the Soft Grip Super Air Scraper are available from 6"-72" long to aid in cleaning table tops, inside machines, reaching the floor or other remote surfaces. Chip shields are also available.



Model shown here:
1244-36



EXAIR's patent pending design utilizes the 2" Super Air Scraper.



Model 1244
Soft Grip
Super Air Scraper
Nozzle: 1144 1/4 NPT
2" Super Air Scraper.

Air Consumption		Force*		Sound Level	
SCFM	SLPM	Ozs	Grams	dBa	
22	622	22	624	77	



Use Model 900750 Coiled Hose

Soft Grip Super Air Scraper Accessories	
Model	Description
1144	Super Air Scraper replacement nozzle (performance details on page 55)
902007	Replacement scraper blade only
901223	Chip Shield for 3/4" extension
113255	2" Flat Super Air Nozzle Shim Set



The Model 1244-36 scrapes and blows old tape off a concrete floor.

Add An Extension Pipe

Add an Extension Pipe to your Soft Grip Super Air Scraper. Here's how:


1. Choose an EXAIR Soft Grip Super Air Scraper.
Example: Model 1244
2. To add an Aluminum Extension Pipe, create the model number by adding a dash and number of the appropriate extension length after the model of the Soft Grip Super Air Scraper.
Example: The Model 1244 Soft Grip Super Air Scraper with a 36" (914mm) Aluminum Extension Pipe is a Model 1244-36.

Aluminum Extension Pipe

All Soft Grip Super Air Scrapers with Extension Pipes come fully assembled.

Model Addition	Length
-6	6" (152mm)
-12	12" (305mm)
-18	18" (457mm)
-24	24" (610mm)
-36	36" (914mm)
-48	48" (1219mm)
-60	60" (1524mm)
-72	72" (1829mm)

Chip Shields can be added to EXAIR's Safety Air Guns by adding a "-CS" to the Model #.



Example:
1244 (Soft Grip Super Air Scraper)
+ -CS (Chip Shield)
1244-CS